


# A new standard in Sanitation

Ideal for:

- Caravan
- Motorhome
- Marine



# DOMETIC VACUUM TOILET

## *With removable Cassette*

### **New Standard in sanitation systems**

Never before has a toilet been developed especially for caravans and motor homes based on vacuum technology. Dometic now offers you a lightweight toilet with a porcelain china bowl just like home! A simple, efficient, very hygienic and flexible system with a remote removable cassette, which you can install anywhere.

### **Advanced vacuum technology**

Vacuum is maintained in the system at all times. When the toilet is flushed by pushing down the foot pedal the vacuum in the system is released. The bowl is instantly cleared and the waste is moved through the piping at 2 metres per second to the remote cassette. After the toilet is flushed, the vacuum pump continues to run automatically recharging the vacuum in the system. A cassette full indicator on the control panel indicates when the cassette is full and needs to be emptied. The powerful vacuum flushing action in the porcelain china bowl also enables very low energy and water consumption - only approximately 0.4 litres per flush!




| Model            | VT2500 Toilet           |
|------------------|-------------------------|
| Colour           | White                   |
| Weight, approx.  | 6.5 kg                  |
| Measurements, mm | 420 x 360 x 440 (HxWxD) |

### **No smells and no chemicals**

The cassette can be installed up to 8 metres away from the toilet bowl and a 5 metre installation kit is included.

Because the waste is stored remotely from the toilet there will be no smell in your caravan, motorhome, or boat when using the toilet. The strong, high velocity vacuum-flushing action breaks the waste down on route to the remote cassette. Therefore, no chemicals are needed to break the waste down nor eliminate the smell. A truly environmentally friendly product!



| Model                        | VT2500 Cassette | VT2500 Docking Station |
|------------------------------|-----------------|------------------------|
| Colour                       | Black           | Black                  |
| Weight approx.               | 3 kg            | 3 kg                   |
| Volume approx.               | 14 litres       | -                      |
| Measurements, mm (H x W x D) | 275 x 255 x 498 | 305 x 270 x 548        |


# DOMETIC VACUUM TOILET

## State of the art design

The toilet bowl is made from high quality porcelain china which will never stain. This makes the VT2500 lightweight, simple to clean and much more hygienic than plastic toilets. The outer casing of the toilet is made from lightweight, impact resistant material which considerably reduces the overall weight of the toilet.

## Remote cassette installation provides greater design flexibility

The installation kit allows flexible positioning of the cassette and provides greater options when designing bathrooms and layouts. The removable cassette is designed to easily fit through the Dometic access door (375 x 305), which is included with the VT2500 toilet.



Toilet and Tank can be installed with a distance up to 8 metres apart, 0.8 metre above or below each other.

- › NO SMELLS
- › NO CHEMICALS
- › NO STAINS
- › VACUUM TECHNOLOGY
- › LIMITLESS INSTALLATION POSSIBILITIES
- › SLEEK DESIGN



# VACUFLUSH TOILET SYSTEMS

## VacuFlush Toilets increase holding tank capacity

VacuFlush toilets operate with a pump generated vacuum which uses less than 600mL of water per flush. Many other marine toilets use in excess of 4 litres of water per flush, filling a holding tank more than four times faster than with a VacuFlush.

## VacuFlush Toilets eliminate unpleasant odours

Because the VacuFlush system uses fresh water for flushing, you do not get offensive odours of a salt water flushing toilet.

## VacuFlush Toilets stay clean and sanitary

Thanks to our innovative bowl design with larger water surface area, as well as the powerful vacuum suction, VacuFlush toilets stay longer, and remain sanitary and odour-free.

## VacuFlush Toilets use less electricity to flush

The VacuFlush system draws a mere 4-6 amps.

## VacuFlush Toilets are user friendly


Just press the pedal lever and the vacuum evacuates the bowl as fresh water rinses it clean. With the optional status panel, you will always know when it is ready to flush.

## VacuFlush systems offer unbeatable reliability


By eliminating accumulation of impurities and salt residue, VacuFlush's fresh water operation reduces maintenance requirements and extends the life of system components significantly.




**Model 1008** Available in white only




**Model 1006** Available in white only




**Model EcoVac 148** Available in white only




## Types of VacuFlush Systems Installations



## Vacuum Tank/Vacuum Pump Installation



## Multiple Toilet Installation



# VACUFLUSH VACUUM GENERATORS

The key to the simplicity and efficiency of the VacuFlush system is its powerful vacuum flushing action. Available as separate components or as a combined unit, the vacuum tank and pump work together to provide the "behind the scenes" power.

## Vacuum Generators

Standard and low-profile vacuum generator models combine a vacuum tank and S-series vacuum pump-all to save space and simplify installation. The Low-Profile Vacuum Generator stands less than 8 inches (203mm) high for even greater application versatility.

- ▶ Pre-set differential switch turns pump on and off to maintain proper vacuum level.
- ▶ Straight-through bellows-type pump draws only 4-6 amps.
- ▶ Switch and pump are prewired. No solvent-bonded joints required.
- ▶ High-strength polyethylene tank ensures consistent, longlasting performance.
- ▶ Both models must be installed in horizontal position. Mounting spindles included. Uses 1 1/2-inch (38mm) hose fittings.
- ▶ Low-profile model can be installed with vacuum pump and tank together or separately.




| Product No. | Model No. | Voltage | Product Weight    |
|-------------|-----------|---------|-------------------|
| 759012      | VG2-12    | 12 VDC  | 16.5 lbs.[7.5 kg] |
| 759024      | VG2-24    | 24 VDC  | 16.5 lbs.[7.5 kg] |
| 770012      | VG3-12    | 12 VDC  | 16.5 lbs.[7.5 kg] |
| 770024      | VG3-24    | 24 VDC  | 16.5 lbs.[7.5 kg] |

## VacuFlush Holding Tank System (HTS)

Available in 18-gallon [68 litres], 28-gallon [106 litres] and 42-gallon [159 litres] capacities.

- ▶ **Space-saving design.**  
Combines the vacuum generator, level indicator, relief valve and holding tank into one package. The 42-gallon system also includes a vent filter and T-series discharge pump.
- ▶ **Odour-free system.**  
Unique diptube discharge design reduces the possibility of hose Odor permeation - no more standing sewage in discharge hose lines!
- ▶ **95% removal of tank contents.**  
Dockside and overboard discharge connections exceed proposed ISO standard of 90% removal.
- ▶ **Easy to install.**  
Components are pre-installed at the factory; integral mounting feet eliminate all strapping. Includes separate light panel for level indicator readout.
- ▶ **Easy to maintain.**  
All inlet and outlet fittings connect from the top of the tank.
- ▶ **Unmatched durability.**  
No seams to leak. Nominal 3/8inch (10mm) wall thickness.

| Product No.   | Description                                                                                         | Capacity            |
|---------------|-----------------------------------------------------------------------------------------------------|---------------------|
| HTS18VGTW4    | 18-Gallon Holding Tank System with 12-volt vacuum generator and TankWatch® level indicator panel    | 18 gal.(68 litres)  |
| HTS28TW4T12   | 28-Gallon Holding Tank System with 12-volt transfer pump and TankWatch® level indicator panel       | 28 gal.(106 litres) |
| HTS42VGT12TW4 | 42-Gallon Holding Tank System with 12-volt vacuum generator, 12-volt discharge pump, and TankWatch® | 42 gal.(159 litres) |



# VACUFLUSH VACUUM PUMPS


## S-Series Vacuum Pump

- › Can run dry without damage. No dynamic seals or impellers to jam or burn up.
- › Exclusive Quadra-Valve™ design can safely pass foreign objects (metal, plastic) up to 1/2-inch (13mm) in diameter.
- › Runs on 4-6 amps of current at 12-volt DC.
- › 12-and 24-volt models available.
- › Must be mounted in a horizontal position.
- › 1 1/2-inch (38mm) hose fittings.

| Product No. | Model No. | Voltage | Product Weight    |
|-------------|-----------|---------|-------------------|
| 201200      | S12       | 12-volt | 7.0 lbs. [3.2 kg] |
| 202400      | S24       | 24-volt | 7.0 lbs. [3.2 kg] |



S-Series Pump



## T-Series Discharge and Macerator Pump Runs dry without harm.

- › Unlike impeller-type macerator pumps, our patented bellows pump can run dry without damage.
- › Draws only 6 amps at 12-volt DC.
- › Self-priming up to 10 feet (3.3 meters) of water.
- › Handles up to 270 gallons (1022 litres) per hour.

| Product No. | Model No. | Voltage |
|-------------|-----------|---------|
| 301200      | T12       | 12-volt |
| 302400      | T24       | 24-volt |



T-Series Discharge Pump


## M-Series Vacuum Pump Ideal for megayachts.

- › One pump handles up to eight toilets.
- › Ideal for heavy use applications such as charters or rentals.
- › Can run dry without damage.
- › Exclusive Quadra-Valve™ design can safely pass foreign objects (metal, plastic) up to 1-inch (25mm) in diameter.
- › Bronze body pump. Available with 1/2 H.P motor. 1h-inch (38mm) FPT.
- › 12-and 24-volt DC models available.

| Product No. | Model No. | Voltage    | Product Weight      |
|-------------|-----------|------------|---------------------|
| 501200      | M12       | 12-volt DC | 81.5 lbs. [37.0 kg] |
| 502400      | M24       | 24-volt DC | 82.0 lbs. [37.2 kg] |



M-Series Pump



# TRAVELER CHINA TOILETS

## *A classy touch of home*

Traveler china toilets are setting new quality standards with all the great Dometic features.

### **Lasting finish**

Vitreous china keeps its brilliant, high-gloss finish for years.

### **Water efficient**

Effective rim flush action uses approximately 0.5 litres of fresh water per flush.

### **Fresh and clean**

Our exclusive, self-cleaning flush ball with Teflon® seal locks out holding tank odours and ensures fresh, clean operation.

### **Different bowl sizes and mounting heights**

With two bowl shapes and height options, there is a Traveler toilet that will meet your needs.

### **Easy to install**

Our installation accessories make upgrading to fine china easy.



Floor Flange



Model 2010

Available in white only



Model 2011

Available in white only



## TRAVELER 711-M28 MARINE SANITATION SYSTEM TRAVELER 711-C28 CARAVAN SANITATION SYSTEM

### *Complete freshwater system in one self-contained package.*

### **Freshwater operation eliminates odours**

Vitreous china bowl is rinsed with fresh water from on-board demand system, so there are none of the unpleasant odours associated with a saltwater flushing toilet.

### **Efficient**

Effective rim wash uses approximately 0.5 litres of fresh water per flush. Requires no electricity.

### **Ideal replacement for recirculating toilets**

No recirculating chemical smell.

### **Easy to use**

Water level and flushing action controlled by single pedal control.

### **Proven reliability**

Halfball seal keeps tank odours in tank. Holding tank is moulded of durable linear low-density polyethylene with 36-litre capacity. Discharge connection is 1-1/2" (38mm) hose insert. Vent connection is for 5/8" (16mm) hose. Water connection is 1/2" (13mm) MPT.



Model 711-M28  
Model 711-C28

Available in bone only



# SANIPOTTIE PORTABLE TOILETS

## *A classy touch of home*

Remain independent at all times with the Dometic SaniPottie, the robust and comfortable portable toilet. It can be used anywhere, is easy to carry and easy to use, plus it is absolutely hygienic.

### **Versatile use**

Great for caravans, motorhomes, trailers, boats, camping, cottages, trucks, work sites and more! At only 305mm high, model 962 will fit under most bunks.

### **Compact tanks - lots of capacity**

The choice is yours: 10.6 litres holding tank; compact size to fit anywhere or decide for 19.0 litres holding tank; capacity for days of use! Convenient top-mounted port is easy to fill; accesses self-contained 12 litres of freshwater supply.

### **Durable design**

High density polyethylene construction provides strength and toughness; drop it, stand on it - this unit can take it!

### **Attractive matte finish**

Scratch-resistant finish is easy to keep clean; looks new for years. Available in platinum only.

### **Comfortable**

Adult-size seats and lids provide both comfort and safety; easily accessed side latches to lock the tank firmly in place for added safety.

### **Light weight**

Since it weighs less than 6kg, you can easily take a Dometic SaniPottie with you wherever you go.

### **Simple to maintain**

All parts and seals are user replaceable and easily accessible.

### **Hold down brackets**

They are provided as standard equipment with marine models or hold down brackets maybe purchased separately to secure your Dometic SaniPottie.

| Model                        | 962             | 966             |
|------------------------------|-----------------|-----------------|
| Tank capacity, approx.       | 10.6 litres     | 19.0 litres     |
| Weight, approx.              | 5.5 kg          | 5.9 kg          |
| Measurements, mm (H x W x D) | 305 x 368 x 419 | 394 x 368 x 419 |

### **Dometic Group Corporate Statement**


Dometic is the leading provider of special refrigerators and product systems for increased convenience away from home. Dometic provides RV and Pleasure Boat Systems, Silent Refrigeration Systems and Medical Systems. Dometic continuously applies the group's industrial and technological expertise to new, related fields of business. Dometic has production facilities in ten countries, its own sales and marketing operations in 35 countries plus approximately 65 distributors globally. 2002 sales amounted to approximately 6400 MSEK and the number of employees to 4200. The Dometic Group is wholly owned by EQT, a leading private equity group in Northern Europe.

Please Note: Printing processes may not depict product colour accurately. Dometic may introduce modifications to their products from time to time and consequently the details given in this leaflet are subject to alterations without notice.




**Model 962**


Available in platinum only



**Model 962**



**Model 966**



**Hold down brackets**

### **AVAILABLE FROM**

**Dometic Pty Ltd**  
ABN 41 004 947 488

6 Treforest Drive, Clayton  
Victoria 3168 Australia

Phone: (03) 9545 5655  
Fax: (03) 9545 5966  
Phone: (07) 3205 7599  
Fax: (07) 3881 1409  
Email: [dometic@dometic.com.au](mailto:dometic@dometic.com.au)